L Number	Hits	Search Text	DB	Time stamp
1	89	("configuration header" same device) and @ad<20010523	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/19 08:34
2	3	(idsel same header) and @ad<20010523	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/19
3	99	("header type" same register) and @ad<20010523	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/19 10:45
4	57	("header type" with set) and @ad<20010523	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/19 13:17
5	8	("PCI device" with RAID) and @ad<20010523	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/19 13:41
6	142	(PCI with RAID) and @ad<20010523	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/19 15:10
7	O	("second processor" same bus same enumerate) and @ad<20010523	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/19 15:11
8	0	("second processor" same bus same enumerat\$3) and @ad<20010523	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/19 15:11
9	2	("second processor" same enumerat\$3) and @ad<20010523	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/19 15:13
10	68	(processor same bus same enumerat\$3) and @ad<20010523	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/19 15:14
-	545	(710/1.ccls.) and @ad<20010523	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/17 15:15
_	25	5734847.URPN.	IBM_TDB USPAT	2003/11/17
_	47	(schmisseur.in. luse.in.) and @ad<20010523	USPAT; US-PGPUB; EPO; JPO; DERWENT;	12:57 2003/11/17 13:17
-	75	(schmisseur.in. luse.in.)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/17 13:17

				0000/44/45
-	200	(schmisseur-mark-a schmisseur-mark	USPAT;	2003/11/17
-		schmisseur luse-paul-e luse-paul luse)	US-PGPUB;	13:18
			EPO; JPO;	
1			DERWENT;	
			IBM_TDB	0000/11/15
-	75	,	USPAT;	2003/11/17
1		schmisseur luse-paul-e luse-paul	US-PGPUB;	13:18
		luse).in.	EPO; JPO;	
			DERWENT;	ļ
		5751075	IBM_TDB	0000/11/15
_	2	5751975.pn.	USPAT;	2003/11/17
			US-PGPUB;	14:45
			EPO; JPO;	
1	1		DERWENT;	
	1044	/	IBM_TDB	2002/11/17
-	1944	(pci same device same function) and	USPAT;	2003/11/17
		@ad<20010523	US-PGPUB;	15:15
			EPO; JPO;	
İ		,	DERWENT;	
1	(10	/	IBM_TDB	2002/11/17
-	610	(pci with device with function) and @ad<20010523	USPAT;	2003/11/17
	-	@au\20010525	US-PGPUB;	15:15
			EPO; JPO;	
			DERWENT;	
1_	8	(pci with device with "multiple	IBM_TDB USPAT;	2003/11/17
_	°	function") and @ad<20010523	US-PGPUB;	15:15
		Lunction / and Gad/20010323	EPO; JPO;	13.13
	1		DERWENT;	
			IBM TDB	
 	258	(710/2.ccls.) and @ad<20010523	USPAT;	2003/11/17
-	250	(/10/2.0015.) and wad 20010525	US-PGPUB;	16:48
			EPO; JPO;	10.40
		,	DERWENT;	
			IBM TDB	
_	754	(710/8.ccls.) and @ad<20010523	USPAT;	2003/11/17
	/54	(/10/0.ccis.) and gad<20010323	US-PGPUB;	17:02
			EPO; JPO;	17.02
			DERWENT;	
			IBM TDB	
_	484	(710/10.ccls.) and @ad<20010523	USPAT;	2003/11/18
		(/10/10/0015/) did cdd (20010025	US-PGPUB;	08:22
			EPO; JPO;	00.22
			DERWENT;	
1			IBM TDB	
]_	558	(710/104.ccls.) and @ad<20010523	USPAT;	2003/11/18
1			US-PGPUB;	09:01
1			EPO; JPO;	
			DERWENT;	
1			IBM TDB	
-	127	(710/311.ccls.) and @ad<20010523	USPAT;	2003/11/18
			US-PGPUB;	09:11
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	768	(710/305.ccls.) and @ad<20010523	USPAT;	2003/11/18
			US-PGPUB;	09:24
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
~	276	(710/306.ccls.) and @ad<20010523	USPAT;	2003/11/18
			US-PGPUB;	09:32
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	429	(710/200.ccls.) and @ad<20010523	USPAT;	2003/11/18
			US-PGPUB;	11:25
			EPO; JPO;	
			DERWENT;	
			IBM TDB	

-	0	("peripheral device" same function same	USPAT;	2003/11/18
1		"first process" same "second process" same (interface bridge)) and @ad<20010523	US-PGPUB; EPO; JPO;	11:26
		same (interface bridge); and ead(20010323	DERWENT;	
			IBM TDB	
_	18	(("peripheral device" same function same	USPAT;	2003/11/18
		(interface bridge)) and ("first process"	US-PGPUB;	13:01
		same "second process")) and @ad<20010523	EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	/ /
-	1	(enumerat\$3 same "I/O channel" same function) and @ad<20010523	USPAT;	2003/11/18
		function) and @ad<20010523	US-PGPUB; EPO; JPO;	13:05
			DERWENT;	
			IBM TDB	
-	42	(enumerat\$3 same I/O same function) and	USPAT;	2003/11/18
		@ad<20010523	US-PGPUB;	13:04
			EPO; JPO;	
			DERWENT;	
		/ 142 " " 17/0 " 1 " 1 " 1 " 1	IBM_TDB	0000/11/10
_	2	(enumerat\$3 same "I/O channel") and @ad<20010523	USPAT;	2003/11/18
		Gau\20010323	US-PGPUB; EPO; JPO;	13:10
	1		DERWENT;	
	1		IBM TDB	
-	0	(enumerat\$3 same function same "I/O	USPAT;	2003/11/18
		processor") and @ad<20010523	US-PGPUB;	15:18
			EPO; JPO;	į į
			DERWENT;	
_	81	(enumerat\$3 same function same processor)	IBM_TDB USPAT;	2003/11/18
_	0.1	and @ad<20010523	US-PGPUB;	16:00
]	and cad 20010020	EPO; JPO;	
			DERWENT;	
			IBM_TDB	1
-	238	((machine\$1readable near (instruction	USPAT;	2003/11/18
;		command)) same "storage medium") and	US-PGPUB;	16:38
		@ad<20010523	EPO; JPO;	
			DERWENT; IBM TDB	
_	0	("bus transaction" same "data bus" same	USPAT;	2003/11/18
		(hide conceal)) and @ad<20010523	US-PGPUB;	16:38
,			EPO; JPO;	
1			DERWENT;	
			IBM_TDB	0000/12/20
-	0	(transaction same "data bus" same (hide	USPAT;	2003/11/18
İ	1	conceal))	US-PGPUB; EPO; JPO;	16:38
	}		DERWENT;	
,			IBM TDB	
-	21	(transaction same bus same (hide	USPAT;	2003/11/18
		conceal)) and @ad<20010523	US-PGPUB;	16:47
			EPO; JPO;	
			DERWENT;]
_	0	(bus same ((hide conceal) near3	IBM_TDB USPAT;	2003/11/18
	ı	function)) and @ad<20010523	US-PGPUB;	16:48
			EPO; JPO;	
			DERWENT;	
	İ		IBM_TDB	
-	851	1 ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '	USPAT;	2003/11/18
	1	@ad<20010523	US-PGPUB;	16:48
			EPO; JPO; DERWENT;	
	1		IBM TDB	
_	450	(bus and ((hide conceal) near3 function))	USPAT;	2003/11/18
		and @ad<20010523	US-PGPUB;	16:48
			EPO; JPO;	
1			DERWENT;	
	L		IBM TDB	

4	
	7
7	₹.

	Ö	Lybug same (/bide samseal) means	USPAT;	2003/11/18
-	١	(bus same ((hide conceal) near3	US-PGPUB;	16:48
		function)) and @ad<20010523		10:48
			EPO; JPO;	
			DERWENT;	
0			IBM_TDB	
-	343	1 ,	USPAT;	2003/11/18
		near3 function)) and @ad<20010523	US-PGPUB;	16:48
			EPO; JPO;	
			DERWENT;	
		l	IBM_TDB	
-	11	, ,	USPAT;	2003/11/18
		conceal) near3 function)) and	US-PGPUB;	16:50
		@ad<20010523	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	22	, , , , , , , , , , , , , , ,	USPAT;	2003/11/18
		conceal) near3 function)) and	US-PGPUB;	16:54
		@ad<20010523	EPO; JPO;	
			DERWENT;	1
			IBM_TDB	
-	521	(((hide conceal) adj3 function)) and	USPAT;	2003/11/18
		@ad<20010523	US-PGPUB;	16:54
			EPO; JPO;	
1			DERWENT;	
			IBM_TDB	
-	137	, , ,	USPAT;	2003/11/18
		@ad<20010523	US-PGPUB;	16:54
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	89	((()) = 1 0 0 0 0 0 0 0 0 0	USPAT;	2003/11/18
		@ad<20010523	US-PGPUB;	16:59
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	(((hide conceal) same "bus transaction"))	USPAT;	2003/11/19
		and @ad<20010523	US-PGPUB;	08:18
			EPO; JPO;	
			DERWENT;	
			IBM TDB	